



**INSTANT**

# MOBILE FENCING SYSTEM

*Instant MFS*

**MOBILE FENCING**

Mobile Fencing System

Components





Barrier Fences

Mobile fences are used primarily for securing all types of construction sites in connection with construction, digging and demolition works, fire, land and other places.

Building fences are also well suited for the delineation of areas in connection with all types of events, flexible section of the warehouse premises etc.

### Standard Features:

- Fence assets are produced using hot galvanized steel elements
- The framework of horizontal and vertical tubes with welded powerful steel grid
- Each wire intersection is welded (rectangular route pattern)
- The vertical wires project above the tube by 5 cm, which makes climbing over especially difficult
- Mounted continuously without the use of tools (hinge)
- Possibility of height adjustment in the uneven terrain
- Very high stability
- Choice of PVC or concrete foot

	<p><b>Mobile fencing (standard section)</b> Height 2,0 m x length 3,5 m Weigth 23,5 kg</p>
	<p><b>Mobile fencing (door section)</b> Height 2,0 m x length 1,2 m Weigth 11,5 kg</p>
	<p><b>Mobile fencing</b> Height 2,0 m x length 2,2 m Weigth 16,2 kg</p>
	<p><b>Low Mobile fencing</b> Height 1,0 m x length 3,5 m Weigth 15,0 kg</p>






## COMPONENTS

	<b>PVC foot</b> 6 holes. Weight 16,0 kg.
	<b>Concrete, reinforced</b> Reinforced Concrete with 6 holes. Weight 36,0 kg.
	<b>Ground Anchor</b> Used instead of feet. Suitable for permanent placement.
	<b>Coupler</b> For use when height differences are present or for extra security.
	<b>Security Coupler</b> For use when height differences are present or for extra security. The Security coupler can only be installed or dismantled with a special tool, which can be purchased separately.
	<b>Tools for security coupler</b> Tools to install / dismantle security coupler.
	<b>Hinge for padlock</b>
	<b>Hinge set</b>
	<b>Ring</b> Ring makes the opening and closing the door easier.
	<b>Caster</b> Caster for gate.
	<b>Transportpallet for mobile fences</b> Transport pallet is suitable to transport up to 29 units of 3.5 m length mobile fences. Transport pallet is designed to be easily lifted by a forklift.

## BARRIER FENCES

Instant barrier fences are products of high quality and long durability. They come in sections with a length of 2.5 m and a height of 1.1 m. For easy transport and storage, you have the option of a transportation stand.

	<b>Barrier fence M125 (19 bars)</b> Height 1,1 m x length 2,5 m Weight 14,7 kg
	<b>Barrier fence M130 (9 bars)</b> Height 1,1 m x length 2,5 m Weight 11,7 kg
	<b>Transport rack for barrier fence M125/M130</b> For transporting up to 22 barrier fences.

# INSTANT

The INSTANT brand has been known on the Norwegian market for more than 40 years. Norway's leading rental shops, large government agencies as well as a vast number of entrepreneurs and contractors are among our faithful and satisfied customers.

Scaffolding Products, and INSTANT scaffolds in particular, have traditionally been, and will continue to be, a very important business area for us. However, we have broadened our range of products, adding facade scaffolds, lifts, material lifts, pedal lifts, building fences, walkways and material handling products also known as Blue Products.

Our main objective will always be to deliver high quality products at reasonable prices. We know that quality is essential for safe and secure operation.

Thus, our slogan: **Our Quality - Your safety.**



## Norway

Tel.: +47 23 19 11 00  
info@instant.no

## Lithuania

Tel.: +370 5 233 1096  
info@instant.lt

## Latvia

Tel.: +371 263 58 152  
info@instantlatvija.lv

## Estonia

Tel.: +372 680 76 33  
info@instant.ee

**www.instant.no**